INDEX TO VOLUME IX

Abaca, bacterial stem rot, 129; leaf spots, 129

Abstracts of papers presented at Tenth Annual Meeting of the American Phytopathological Society, 49–55

Acerbia maydis, 140

Actinomyces scabies, 301, 327, 422

Advisory Board of American Plant Pathologists, 202; conference of at Birmingham, 214; Aecidium butlerianum, 569

Aecidium desmium, 126

Aeginetia indica, 135

Agricultural index, 302

Airplane construction and forest pathology, 54

Aithaloderma clavatisporium, 133

American Phytopathological Society, Advisory Board of, 202; its first decade, 165; report of tenth annual meeting of, 183

Ananas sativus, 115

ANDERSON, P. J., see GUBA, E. F.

Annona muricata, 115

Anthostomella cocoina, 122

Anthracnose, red pepper, 117; inheritance of shown by cross between resistant and susceptible beans, 141

Aphids, followed by sooty mould, 119

Apiospora camptospora, 136

"Apple, hollow," 261; bitter pit, 262

Arachis hypogaea, 115

Artocarpus, incisa, 116; integrifolia, 116

Aschersonia, paraensis, 133; sclerotoides, 119

Ascochyta fagopyrum, 13, 17, 22, 26, 33

Aspergillus, delacroixii, 138; niger, 36, 153; sp., 153; periconioides, 118

Asterinella stuhlmanni, 115

Asteroma phaseoli, 132

ATWOOD, ALICE C., and SMITH, FLORENCE P., Literature on plant diseases, 269–273, 304–308, 334–338, 425–430, 479–482, 538–540, 584–587

Bacillus, amylovorus, 111; atrosepticus, 285; caratovorus, 133; phytophthorus, 137; solanacearum, 117, 127, 129, 136, 137

Bacterial, blight of beans, 131; stem rot of abaca, 129; wilt of egg plant 136; wilt of potato, 137; wilt of red pepper, 117; wilt of tobacco, 129; wilt of tomato, 127

Bacterium, citri, 118; tumefaciens, 208

Bakerophoma sacchari, 134

BAKKE, A. L., The comparative rate of desiccation of tubers from normal and diseased potato plants, 541–546

BALL, E. D., The potato leafhopper and the hopperburn, 291–293

Bamboo, influence of temperature and humidity on growth of, 7

Banana, leafspot, 128; stem rot, 128; wilt, 339

Barberry aecia, 569

Barley, infection of by Helminthosporium, 11

BARRUS, MORTIER F., Varietal susceptibility of beans to strains of Colletotrichum lindemuthianum, 589–614

Bean, bacterial blight, 131; black mould, 132; blight, 132; Colletotrichum lindemuthianum, comparative effect of light and darkness on infection of, 13; infection of by Colletotrichum lindemuthianum at low temperatures and constant humidity, 20; inheritance of resistance to anthracnose 141; leaf spot, 132; mosaic, thermal, death-point of seed and virus, 445; red kidney, Colletotrichum lindemuthianum on, 17; related species immune to mosaic, 150; rust, 132; varieties susceptible to mosaic, 149; winged, orange galls of, 133

BERG, A., A simple method of distinguishing nematode galls of wheat from bunted kernels, 181–182; see GIDDINGS, N. J.

BESSEY, ERNST A., Rose M. Taylor, biographical sketch, 212–213
BETHEL, ELLSWORTH, The aecial hosts of Puccinia subnitens, 55; Puccinia subnitens and its aecial hosts. II, 193–201; see HEDGCOCK, GEORGE G.
Biographical sketch of, Halsted, Byron David, 1; Stewart, V. B., 111; Taylor, Rose M., 212; Vasey, Harvey Elmer, 299
Biologic forms of, Puccinia coronata on oats, 309; Puccinia graminis, constancy of, 77
Black leg of, cabbage, hot water treatment for, 50; potato, 137, 285
Black mildew of soy bean, 125
Black mould of beans, 132
Black rot, of brussels sprouts, 117; cacao, 138
BLAIR, R. J., Fungi which decay weave-shed roofs (abstract), 54–55
Blight of, African peanuts, 125; beans, 132; gabi, 123; roselle, 126; soy bean, 125; weeds, 125
Blights, late, of tomato and potato, comparison of, 209
Blister rust, piñon, 53
Bordeaux mixture, for cacao black rot, 138; for coconut leaf spot, 121; for coffee rust, 123; preparation of for tests of adhesiveness, 438
Bordeaux soap and copper soap spray mixtures for control of tomato leaf spot, 554
Botryiodiplodia anceps, 128
Botryosphaeria minuscula, 139
Botrytis, cinerea, a cause of moulding of snow-smothered nursery stock, 523; sp., 298
BOYCE, J. S., Forest pathology and airplane construction (abstract), 54
BRANDES, E. W., Banana wilt, 339–390
Brassica, chinensis, 117; oleracea, 117
Bread fruit, fruit rot, 116; leaf spot, 116
Broomella zeae, 140
Brown rot of cacao, 138
Brussels sprouts, black rot of, 117
Buckwheat, Ascochyta fagopyrum, 13, 17; comparative effect of light and darkness on infection of by Ascochyta fagopyrum, 13; plants, infection of by Ascochyta fagopyrum at low temperatures, 19
Bud rot, coconut, 120
Burgundy mixtures, preparation for adhesiveness test, 439
BUTLER, O., and SMITH, T. O., Relative adhesiveness of the copper fungicides, 431–444
BYARS, L. P., Experiments on the control of the root-knot nematode, Heterodera radicicola (Greef) Mueller, 93–103; The nematode disease of wheat caused by Tylenchus tritici (Steinbuch) Bastian and its control (abstract), 51; and GILBERT, W. W., Soil disinfection by hot water to control the root-knot nematode and parasitic soil fungi (abstract), 49; and JOHNSON, A. G., and LEUKEL, R. W., The wheat nematode, Tylenchus tritici, attacking rye, oats, spelt, and emmer, 283–284

Cabbage, Fusarium conglutinans on, 9; hot-water treatment for black leg of, 50; seedlings, cotyledon infection of by Pseudomonas campestris, 275
Cacara erosa, 131
Caeoma, conigenum, 53; strobilina, 53
Canavalia, ensiformis, 132, 150; gladiata, 132
Canker, cacao, 138; citrus spp., 118
Capnodium footii, 121
Capsicum, annuum, 117; frutescens, 117
Carbon dioxide, relation of to infection, 14
Carica papaya, 117, 118
Carrot, stem rot, 124
CARSNER, EUBANKS, Susceptibility of various plants to curly-top of sugar beet, 412–421
Cassava, leaf spot, 128
Castor bean, Sclerotinia, 564
Ceara rubber, leaf spot, 127
Cercospora, armoraciae, 117; beticola, 116; brassicicola, 117; canavaliae, 132; henningsii, 128; lussoniensis, 132; mangiferae, 127; nicotianae, 130; pachyderma, 124; personata, 115, 116; sesami, 136; spp., 124, 134; stizolobii, 132; ubi, 124

Chaetosphaeria eximia, 122
CHAPMAN, G. H., "Crack-neck": a non-parasitic disease of chrysanthemums, 532-534
Chard, leaf spot, 116
Chestnut, American, resistance of to Endothia canker, 52
CHIVERS, A. H., see STEVENS, NEIL E.
Chrysanthemums, "crack-neck" disease of, 532
Cicer arietinum, 150
Citron, canker, 118
Citrus, decumana, 119, 266; grandis, 118; hystrix, 118; japonica, 118; medica, 118; mildew, a correction, 266; mitis, 118; nobilis, 118; spp., 118-120; torosa, 118
Cladosporium herbarum, 132; sp., 153
CLARK, W. B., see PRITCHARD, FRED J.
Clasterosporium maydicum, 140
Clonostachys, araucaria, var. rosea, 40; rosea, 36
Cocao, black rot, 138; brown rot, 138; canker, 138; die-back, 138; root diseases, 139
Coccids, followed by Capnodium footii, 121; fungi on, 119
Coconut, bud rot, 120; fungi on dead parts, 122; leaf spot, 121; sooty mold, 121; sterile fruits, 122
Cocos nucifera, 120
COE, H. S., see PIPER, C. V.
Coffea, arabica, 122, 123; excelsa, 122; liberica, 123; robusta, 123; spp., 122
Coffee, leaf spot, 122; rust, 122, 123; stem rots, 122
Coleosporium ribicola, 53
Colletotrichum, falcatum, 134; lindemuthianum, 13, 17, 22, 23, 33, 141; lussoniensis, 128; nigrum, 117; papayae, 118
Colobot, canker, 118
Conference, of cereal pathologists, 582; on potato diseases on Long Island (appendix), 536
Coniosporium, extremorum, 136; vinosum, 136
Coniothyrium, coffeae, 122; rosarum, cause of rose graft disease, 403
COONS, G. H., see STOVER, W. G.
Copper, acetates, preparation for adhesiveness tests, 439; fungicides, relative adhesiveness of, 431; soap spray mixture for control of tomato leaf spot, 554; sulphate, to kill lichens, 119, 139
Corn, infection of by Puccinia sorghi, 12; Physoderma disease of, 51; see maize
Corticium vagum, 50; on weeds and grasses, 89; var. Solani, 8
Cotton, infection experiments with Rhizoctonia on, 8; rust, 126
Cowpea, blight, 139; pod spot, 139; rust, 139
"Crack-neck," a disease of chrysanthemums, 532
"Crinkle" on Northwestern Greening, 261
Cronartium, occidentale, 53; ribicola, 15; ribicola on Ribes, 575; ribicola, relation of insects to dissemination of, 451; ribicola, spore germination, 391
Crop rotation with reference to control of potato scab, 422
Crown galls, giant, from Florida Everglades, 207; on strangling fig, 207
Cucumber, leaf spot of, 124
Cucurbit mosaic, seed transmission of, 326
Cuprammoniums, preparation of for adhesiveness tests, 439
Curly-dwarf of potatoes, comparative rate of water loss in tubers from healthy and diseased plants, 541
Curly-top of sugar beet, susceptibility of various plants, 412
Cylindrocladium scoparium, 31, 42
Cyphella holstii, 139
Cytospora, aberrans, 119; palmicola, 122

Damping-off of, angiosperms, 50; citrus spp., 119; snapdragons, 315; tobacco 129, tomato, 127; vascular cryptogams, 50
Decay, seed-piece, relation of wound-cork formation to in potato, 483
Diaporthe citrincola, 119
Diatrypella psidii, 133
Dichotomella areolata, 116
Dictyophora phalloidea, 136
Didymella, caricae 118; lussoniensis, 132
Didymosphaeria amsoniera, 138

Die-back, cacao, 138; citrus spp., 119
Diplodia, artocarpi, 116; artocarpina, 116; caricae, 118; cococarpa, 122; cococarpa var., 122; crebra, 128; malaccensis, 122; manihoti, 128; phaseolina, 132
Diplodina degenerans, 136
Discothecium bakeri, 124
Disease resistance of potatoes to Fusarium wilt, 255
Djersek Boli, canker, 118
DOOLITTLE, S. P., and GILBERT, W. W., Seed transmission of cucurbit mosaic by the wild cucumber, 326–327
DORAN, WM. L., The minimum, optimum, and maximum temperatures of spore germination in some Uredinales, 391–402
DOSDALL, LOUISE, Overwintering of the aeciospores of Cronartium ribicola, 619
Downy mildew of, maize, 139; tomato, 127
DRECHSLER, CHARLES, Cotyledon infection of cabbage seedlings by Pseudomonas campestris, 275–282
Dry rot, maize, 140
DURRELL, L. W., Tongs for handling disinfected seed, 581–582

EDSON, H. A., see SHAPOVALOV, M
Egg plant, bacterial wilt, 136; leaf spots, 136
ELLIOTT, JOHN A., Wood rots of peach trees caused by Coreolus prolificans and C. versicolor, 615–617
Elsinoe canavaliae, 132
Emmer, Tylenchus tritici attacking, 283
Endothia, canker, resistance of American chestnut to, 52; parasitica, 52
Endoxyla mangifera, 127
ENSIGN, M. R., A staining method for vascular tissue, 180; Gas injury to wheat, 266; Sweet potato mosaic, 180
Entyloma oryzae, 131
Erysiphe graminis, 141
Eutypa heterocantha, 119
Eutypella, citricola, 119; cocos, 122

FAIRCHILD, DAVID, Byron David Halsted, biographical sketch, 1–6
False smut, rice, 130
Fanning strawberries, 547
Fig, leaf spot, 125; rust, 124, 125
Fire blight, 111, 112
Flax, infection of by Fusarium lini, 9
Fumago vagans, 138
Fungi, infection by certain, relation of temperature and humidity to, 7; which decay weaveshed roofs, 54
Fungicides, copper, relative adhesiveness of, 431
Fusarium, conglutinans, 8; cubense, banana wilt organism, 339; eumartii, 231; influence of climatic factors on, 248; influence of soil factors, 252; isolations of from potato plants, 234; lini 9, 141; oxysporium, 223; oxysporium on sweet potatoes, 467; radicicola, 41; root rot of tobacco, 49; sp., 140; temperature relations, 231; theobromae, 138; wilt of potato, 223
Fomes officinalis, 55
Forest pathology, and airplane construction, 54; laboratory, new location, 215
Frost necrosis of tulip leaves, 475
Fruit rot of, blackberry, 176; bread uit, 116; Capsicum frutescens, 117; citrus, 120; dewberry, 176; egg plant, 136; jak-fruit, 116; papaya, 117; raspberry, 176; red pepper, 117; snake gourd, 124; strawberry, 171; tomato, 127

Gabi, blight, 123
GALLOWAY, BEVERLY T., Giant crown galls from the Florida Everglades, 207–208
GARDNER, MAX W., see LINK, GEO. K. K.
Gas injury to wheat, 266
GIDDINGS, N. J., and BERG, ANTHONY, A comparison of the late blights of tomato and potato, preliminary report, 209–210
GILBERT, W. W., see BYARS, L. P.; DOOLITTLE, S. P.
Gloeosporium, canavaliae, 132; macrophomoides, 136
GODFREY, G. H., Sclerotinia ricini n. sp. parasitic on the castor bean (Ricinus communis), 565–568

Gossypium, braziliensis, 126; herbaceum, 126
Grain mould of sorghums, 137
Grasses, Rhizoctonia solani on, 89
GRAVES, ARTHUR HARMOUNT, Resistance in the American chestnut to the Endothia canker (abstract), 52
Greening, "crinkle" on, 261
GREGORY, C. T., Heterosporium leaf spot of timothy, 576–580
Guabano, see Soursop
Guava, black mould, 133; leaf spot, 133; twig fungus, 133
GUBA, E. F., and ANDERSON, P. J., Phyllosticta leaf spot and damping off of snapdragons, 315–325
Guignardia manihoti, 128
Gummosis, citrus spp., 119
GÜSSOW, H. T., Imperial Bureau of Mycology, 265
Gymnosporangium clavipes, spore germination of, 393

HAHN, GLENN G., see HARTLEY, CARL; HARTLEY, CARL, and PIERCE, ROY G.
HALSTED, Byron David, biographical sketch of, 1
HARTER, L. L., and WEIMER, J. L., The surface rot of sweet potatoes, 465–470
HARTLEY, CARL, and HAHN, GLENN G., Oomycetes parasitic on pine seedlings (abstract), 50; PIERCE, ROY G., and HAHN, GLENN H., Moulding of snow-smothered nursery stock, 521–531; see PIERCE, ROY G.
HASKELL, ROYAL J., Fusarium wilt of potato in the Hudson River Valley, New York, 223–260
HEDGCOCK, GEORGE G., BETHEL, ELLSWORTH, and HUNT, N. REX, Notes on the rusts of the piñon pines (abstract), 53; HEDGCOCK, GEORGE G., and HUNT N. REX, Notes on some Uredinales attacking pines (abstract), 53
Helminthosporium, caryopsidium, 137; curvulum, 140; inconspicuum, 140; infection of barley, 11
Hemileia vastatrix, 122
Heterodera radicicola, 49; experiments on the control of, 93
Heterosporium phlei n. sp., a leaf spot of timothy, 576
Hippocratea volubilis, crown gall on, 207
HOERNER, G. R., Biologic forms of Puccinia coronata on oats, 309–314
HOFFER, G. N., see HOLBERT, J. R.
HOLBERT, J. R., TROST, J. F., and HOFFER, G. N., Wheat scabs as affected by systems of rotation, 45–47
Hopperburn of potato, 291
HUNT, N. REX, The "iceless refrigerator" as an inoculation chamber, 211–212; see HEDGCOCK, GEORGE G.
Hydrocyanic-acid gas for the control of root-knot nematode, 93
Hypoxylon atropurpureum, 119

Imperial Bureau of Mycology, establishment of, 265
Inoculation chamber, iceless refrigerator as, 211
Insects, agents in dissemination of, citrus canker, 118; Cronartium ribicola, 451; tomato bacterial wilt, 127
Institute of research in phytopathology in England, new, 154
Ipomoea batatas, 126

JOHNSON, A. G., see BYARS, L. P.
JOHNSON, JAMES, Fusarium root rot of tobacco (abstract), 49
JONES, L. R., Our journal, Phytopathology, 159–164; and MILLER, M., Frost necrosis of tulip leaves, 475–476

Kaffirs, see Sorghums
Kernel smut of sorghums, 137
Kerosene injury to shade trees, 476
KIRBY, R. S., see ROSEN, H. R.
KOPELOFF, NICHOLAS and LILLIAN, The isolation of fungi from manufactured sugars, 153
Kuehneola fici, 124, 128

Lasiodiplodia theobromae, 138
LAURITZEN, J. I., The relation of temperature and humidity to infection by certain fungi, 7–35
LEACH, JULIAN G., The parasitism of Puccinia graminis tritici Erikss. and

Henn. and Puccinia graminis tritici-compacti Stak. and Piem., 59–88
Leaf spot of, abaca, 129; banana, 128; beans, 132; bread fruit, 116; camoting cahoy, 128; cassava, 128; ceara rubber, 127; chard, 116; cocoanut, 121; coffee, 122; cucumber, 124; eggplant, 136; kaffirs, 137; maize, 140; mango, 127; milos, 137; papaya, 118; peanut, 115; pechay, 117; pineapple, 115; sesame, 136; snapdragons, 315; sorghums, 137; talisay, 138; timothy, 576; tobacco, 130; tomato, effect of spray mixtures on control of, 554; yam, 124; yautia, 139
LEE, H. ATHERTON, Plant pathology in Japan, 178–179
Lemon, Lisbon, canker of, 118
Lentodium tigrinum, 55
Lenzites trabeum, 55
Leptosphaeria orthogramma, 140
Leptothyrium circumscissum, 127
Lettuce, tip burn, 126
LEUKEL, R. W., see BYARS, L. P.
Lichens on, cacao, 139; citrus, 119
Light, effect of on infection, 13
Lime, Kusaie, canker of, 118; use of to destroy coconut affected with bud rot, 121
Linga, see Sesame
LINK, GEO. K. K., and GARDNER, MAX W., Market pathology and market diseases of vegetables, 497–520
Literature on plant diseases, 56, 107, 155, 188, 217, 269, 304, 334, 425, 479, 538, 584
LYMAN, G. R., The Advisory Board of American Plant Pathologists, 202–206

MCKINNEY, H. H., Nomenclature of the potato-scab organism, 327–329
MACMILLAN, H. G., Wind, and the distribution of pathogenic soil organisms, 471–473
Macrophoma, musae, 128, 129; trichosanthis, 124
Macrosporium solani, 51
MCROSTIE, G. P., Inheritance of anthracnose resistance as indicated by a cross between a resistant and a susceptible bean, 141–148
Maize, downy mildew, 139, 140; dry rot, 140; leaf spot, 140
Mandarin, Canton, canker of, 118
Mangifera indica, 127
Mango, leaf spot, 127
Manihot, dichotoma, 127; utillissima, 128
Marasmius sp., 136
Market pathology of vegetables, 497
Massarina raimundoi, 119
Melanconium sacchari, 134
MELCHERS, LEO E., A method of steam sterilization of soil for controlling nematodes, 294–296
Meliola, arundinis, 136; mangiferae, 127
Micropeltis mucosa, 122
MILLER, M., see JONES, L. R.
Milos, see sorghums
Morus alba, 128
Mosaic, bean, 149; sweet potato, 180; tobacco, 130; thermal death-point of seed and virus of, 445; transmission of virus, 445
Moulding of snow-smothered nursery stock, 521
Mulberry, powdery mildew, 128; rust, 128; twig fungi, 128
Mycogone cervina var. theobromae, 138
Mycology, establishment of an Imperial (British) Bureau of, 265
Mycosphaerella, caricae, 118; musae, 129

Nectria, episphaeria, 119; bainii, 138; sp., 138
Needle rust of pine caused by Coleosporium ribicola, 53
Nematode, disease of wheat caused by Tylenchus tritici (abstract), 51; galls in wheat distinguished from bunted kernels, 181; method of steam sterilization of soil for control of, 294; root-knot, see Heterodera radicicola; sugar cane, 135; tobacco, 130
Nicotiana tabacum, 129
Nomenclature of the potato-scab organism, 327
NORTON, J. B. S., Hot water seed treatment for black leg of cabbage (abstract), 50
Nursery stock, moulding of snow smothered, 521

Oats, biologic forms of Puccinia coronata on, 309; infection experiments with Puccinia coronifera, 9; Puccinia conifera on, 12; Tylenchus tritici attacking, 283
OBERLEY, EUNICE R., and SMITH FLORENCE P., Literature on plant diseases, 56–58, 107–109, 155–157, 188–191, 217–221
Oomycetes parasitic on pine seedlings, 50
Oospora, candidula, 138; oryzetorum, 131
Ophiobolus oryzinus, 131
Ophionectria theobromae, 139
Orange canker, 118
Oryza sativa, 130

Palawania cocoes, 122
Papaya, fruit rot, 117; leaf spot, 118
Parasitism of Puccinia graminis tritici and Puccinia graminis tritici-compacti, 59
Pathologists, cereal, conference of, 582
Pathology, market, the field of, 497; history, 497; possibilities and prospects, 500; present status, 498; results of first year's work, 498
Peanut, leaf spot, 115; root rot, 116
Pea powdery mildew, 133
Peehay leaf spot, 117
Penicillium oxalicum, 36
Peroneutypella, cocoes, 122; graphidioides, 138
Peronospora sp., 139
Personals, 48, 105, 153, 182, 215, 267, 302, 333, 477, 478, 535, 582
Pestalozzia funerea, 127
PETCH, T., Citrus mildew: a correction, 266
Pezizella ombrophilacea, 133
Phakospora pachyrhizi, 131
Phaseolus, aconitifolius, 150; acutifolius latifolius, 149; aureus, 150; calcaratus, 132; lunatus, 131; lunatus macrocarpus, 149; mungo, 132; spp., 131, 132; vulgaris, 131, 149
Philippine plant diseases, 114
Phoma, bakeriana, 139; oleracea, 124; sabdariffae, 126; sesamina, 136
Phomopsis capsici, 117
Phyllachora, dioscoreae, 124; phaseolina, 132; sacchari, 134; sacchari spontanei, 134; sorghi, 137; sp., 125
Phyllactinia suffulta, 128
Phyllosticta, antirrhini on snapdragons, 323; circumsepta, 120; cocophila, 122; glumarum, 131; hortorum, 136; insularum, 115; leaf spot and damping off of snapdragons, 315; manihoticola, 127; miurai, 131
Physalospora, affinis, 138; guignardioides, 132
Physoderma, disease of corn, 51; zeaemaydis, 52
Phytopathological, Notes, 48, 105–106, 153–154, 180–182, 214–216, 265–268, 301–303, 330–333, 475–478, 535, 581–583; Society, Canadian, 215
Phytopathology, in Japan, 178; institute of in England, 154; our Journal, 159
Phytophthora, faberi, 117, 138; infestans, 31, 127; infestans on tomato and potato, 209
PIERCE, ROY G., and HARTLEY, CARL, Relative Importance of Pythium and Rhizoctonia in coniferous seed beds abstract), 50; see HARTLEY, CARL.
Pine needle rust caused by Coleosporium ribicola, 53; seedlings, Corticium vagum on, 50; Oomycetes parasitic on, 50; Pythium debaryanum on, 50; Rheosporangium aphanidermatus on, 50
Pines, piñon, rusts of, 53; Uredinales attacking, 53
PIPER, C. V., and COE, H. S., Rhizoctonia in lawns and pastures, 89–92
Piricularia oryzae, 131
Pisum sativum, 133
Plant, diseases, literature on, 56, 107, 155, 188, 217, 269, 304, 334, 425, 479, 538, 584; pathological society, Canadian, 215; pathologists, advisory board of American, 202; quarantine service in Japan, 179; relation of weather to, 7
Plicaria bananincola, 129
Pomelo, canker, 118
Potato, and tomato late blights, comparison of, 209; bacterial wilt, 137; black leg, 137; black-leg organism, studies of viability of, 285; comparative rate of desiccation of tubers from normal and diseased plants, 541;

comparison of late blights of tomato and, 209; disease conference on Long Island (appendix), 536; Fusarium wilt, 223; Fusarium wilt, control, 254; Fusarium wilt, disease-escaping varieties, 256; Fusarium wilt, disease-resistant varieties, 255; leafhopper, 291; Phytophthora infestans on, 209; scab, controllable by rotation of crops, 422; scab, influence of soil temperature on, 301; scab organism, nomenclature of, 327; tubers, inoculation experiments with Aspergillus niger, 36; wound-cork formation in relation to seed-piece decay, 483; tubers, inoculation experiments with Clonostachys rosea on, 36; tubers, inoculation experiments with Fusarium radicicola, 41; tubers, some potential parasites on, 36

Powdery mildew, mulberry, 128; pea, 133; sesame, 136

PRITCHARD, FRED J., and CLARK, W. BLAIR, Effect of copper soap and of Bordeaux soap spray mixtures on control of tomato leaf spot, 554–564; effect of spraying on early ripening of tomato fruit, 289–291

Pseudomonas, campestris, 117, 275; phaseoli, 131

Puccinia, antirrhini, on snapdragons, 330; Berberis-trifoliae, 569; coronata, 309; coronifera, 9, 12; Fendleri, 569; glumarum, 141; graminis, 13, 17, 19, 31, 59, 391, 569; graminis tritici, 23, 33, 59; graminis tritici-compacti, 59; Koeleriae, 569; kuehnii, 135; oxalidis, 569; purpurea, 137; sorghi, 12; subnitens, 55, 193

Pythium, and Rhizoctonia, relative importance of in coniferous seed beds, 50; artotrogus, 50; debaryanum, 49, 50, 127, 130

Radish, bacterial soft rot, 133

RAMSEY, GLEN B., Studies of the viability of the potato black-leg organism, 285–288

Ramularia catappae, 138

REDDICK, DONALD, Vern Bonham Stewart, biographical sketch, 111–113; and STEWART, V. B., Transmission of the virus of bean mosaic in seed and observations on thermal death-point of seed and virus, 445–450

Red pepper, anthracnose, 117; bacterial wilt, 117; fruit rot, 117

REINKING, OTTO, Philippine plant diseases, 114–140

Resistant varieties of Coffea for rust, 123; of Colocasia for blight, 123

Rheosporangium aphanidermatus, 50

Rhizoctonia, and Phythium, relative importance of in coniferous seed beds, 50; in lawns and pastures, 89; on cotton, temperature-infection experiments with, 8; solani on weeds and grasses, 89; sp., 49, 122, 124, 127; stem rot of carrot, 124

Rhizopus, artocarpi, 116; nigricans, 177, 552; sp., 173

Ribes, overwintering of Cronartium ribicola on, 575

Rice, blast, 131; false smut or lump smut, 130; glume spot, 131; leaf spots, 131; rotten neck, 131; smut, 131; straight or sterile head, 131

ROBERTS, R. H., "Crinkle" on Northwestern Greening, 261–263

Roofs, weaveshed, fungi which decay, 54

Root, disease, cacao, 139; galls, tobacco, 130; knot nematode, experiments on the control of, 93; knot, soil disinfection by hot water for control of, 49; knots, use of hydrocyanic-acid gas for the control of, 93; rot, citrus, 120; rot, peanut, 116

Rose graft disease, 403

Roselle blight, 126

Rosellinia cocoes, 122

ROSEN, H. R., and KIRBY, R. S., A comparative morphological study of aecia of four different rusts found upon barberries in North America, 569–574

ROSENBAUM, JOSEPH, Macrosporium solani on tomato fruit (abstract), 51

Rotation, crop, with reference to control of potato scab, 422

Rust, barberry, a comparative morphological study of aecia, 569; bean, 132; coffee, 122; cotton, 126; cowpea,

139; fig, 124; mulberry, 128; pine needle, 53; resistance and biologic specialization, 78; sorghum, 137; soy bean, 126; white-pine blister, 54; yam, 124
Rye, Tylenchus tritici attacking, 283

Saccharum, officinarum, 134–136; spontaneum, 134, 135
Sarcinella raimundi, 136
Satsuma orange, canker, 118
Scab, potato, influence of soil temperature on, 301
Scaly bark, citrus spp., 120
Sclerospora maydis, 139
Sclerotinia, ricini on the castor bean, 564; sp., 122, 125, 126;
Seed, disinfected, tongs for handling, 581; potato, infected with Fusarium oxysporum, 238; selection, to control bean blight, 131; transmission of cucurbit mosaic by the wild cucumber, 326–327
Septogloeum arachidis, 116
Septoria lycopersici, 9, 32; effect of spray mixtures on control of, 554
Sesame, leafspot, 136; powdery mildew, 136
Shade trees, kerosene injury to, 476
SHAPOVALOV, M., Is the common potato scab controllable by a mere rotation of crops? 422–424; some potential parasites on the potato tuber, 36–44; and EDSON, H. A., Wound-cork formation in the potato in relation to seed-piece decay, 483–496
SHEAR, C. L., First decade of the American Phytopathological Society, 165–170
Sincamas, rust, 131
SMITH, FLORENCE P., see OBERLY, EUNICE R., and ATWOOD, ALICE C.; T. O., see BUTLER, O
Smut of, rice, lump, 130; wheat, flag, 330
Snake gourd, fruit rot, 124
Snapdragons, damping off of, 315; Phyllosticta antirrhini on, 315; Phyllosticta leaf spot and damping off of, 315; rust of, 330
SNELL, WALTER, H., Observations on the relation of insects to the dissemination of Cronartium ribicola, 451–464
Soil, fungi, soil disinfection by hot water to control, 49; infection with Fusarium oxysporum, 240; organisms, pathogenic, wind and the distribution of, 471
Soja, see soy bean
Sooty mold, citrus spp., 119; coconut, 121
Sordaria oryzeti, 131
Sorghum, grain mould, 137; kernel smut, 137; leaf spot, 137; rust, 137
Soursop leafspot, 115
Soy bean, black mildew, 125; blight, 125; rust, 126
SPAULDING, PERLEY, Investigations of white-pine blister rust, 1918, (abstract), 54; see YORK, H. H.
Spegazzinia ornata, 131
Spelt, Tylenchus tritici attacking, 283
Spore germination in some Uredinales, 391
Sporodesmium bakeri, 129
Spray mixtures for control of tomato leaf spot, 554
Spraying, cost for coffee rust, 123; for Phytophthora colocasiae not effective, 123; tomato fruit, effect of on early ripening, 289
Stem rot of coffee, 122
STEVENS, NEIL E., Keeping quality of strawberries in relation to their temperature when picked, 171–177; and CHIVERS, A. H., fanning strawberries in relation to keeping quality, 548–553
STEWART, Vern Bonham, biographical sketch of, 111; see REDDICK DONALD
STONE, R. E., A new stem rot and wilt of tomatoes, 296–298; Kerosene injury to shade trees, 476–477
Storage rot, sweet potato, 126; yam, 124
STOVER, W. G., and COONS, G. H., St. Louis Conference on take-all and flag smut of wheat, 330–332
Strawberries, fanning in relation to keeping quality, 547; keeping quality of as related to their temperature when picked, 171
Sugar beet, curly-top, susceptibility of various plants to, 413

Sugar cane, broom rape, 135; leaf fungi, 136; leaf spot, 134; root galls, 135; root parasite, 135; rust, 135; smut, 135; sooty mould, 135; stem rots, 134
Surface rot of sweet potatoes, 465
Susceptibility of, citrus spp., to canker, 118; various plants to curly-top of sugar beet, 412
Sweet potato, mosaic, 180; storage rot, 126; surface rot, 465

Take-all of wheat, 330
Talisay, leaf spot, 138
TAYLOR, MINNIE W., The overwintering of Cronartium ribicola on Ribes, 575
TAYLOR, ROSE M., biographical sketch, 212
Temperature, effect of sudden change of on infection, 15; influence of low on infection of buckwheat by Ascochyta fagopyrum, 22; relations of Fusarium oxysporum, 231
Thielavia basicola, 9
Thielaviopsis ethaceticus, 134
THURSTON, H. W., JR., Puccinia antirrhini, 330
Thyridaria tarda, 138
Tilletia horrida, 131
Timothy, Heterosporium leaf spot of, 576
Tip burn, lettuce, 126
TISDALE, W. H., The Physoderma disease of corn, 51-52
Tobacco, bacterial wilt, 129; effect of spraying on early ripening of, 289; Fusarium root rot of, 49; leaf spot, 130; mosaic, 130; root galls, 130
Tomato, bacterial wilt, 127; damping-off, 127; downy mildew, 127; fruit rots, 127; infection experiment with Septoria lycopersici, 9; infection of by Septoria lycopersici, 32; late blight of compared with that on potato, 209; leaf spot, effect of spray mixtures on control of, 554; Macrosporium solani on, 51; new stem rot and wilt of, 296; Phytophthora infestans on, 209
Tongs for handling disinfected seed, 581
Traversoa dothiorelloides, 128
TROST, J. R., see HOLBERT, J. R.
Tryblidiella, rugula, 119; mindanaoensis, 119
Tulip leaves, frost necrosis of, 475
Twig fungi, mulberry, 128
Tylenchus tritici, 51, 181, 283

Uredinales, attacking pines, 53; spore germination of at different temperatures, 391
Uredo, desmium, 126; dioscoreae, 124; dioscoreae-alatae, 124; fici, 124; kuehnii, 135; quercus, 53; vignae, 139
Uromyces, appendiculatus, 132, 139; mucunae, 132; peckianus, 55; sojae, 126
Ustilaginoidea virens, 130
Ustilago, sacchari, 135; sorghi, 137

Valsaria, citri, 119; insitiva, 128
VASEY, HARVEY ELMER, biographical sketch of, 299
Vegetables, arranged according to hosts, 504; market diseases of, 497; nature and classification, 501
Vermicularia capsici, 117; horridula, 132; sesamina, 136
Verticillium albo-atrum, 231
Virus, bean mosaic, thermal death-point of, 445; transmission of, 445
VOGEL, IRVIN H., A rose graft disease, 403-412

War Emergency Board, 184
Weaveshed roofs, fungi which decay, 54
Weeds, Rhizoctonia solani on, 89
WEIMER, J. L., See HARTER, L. L.
Wheat, amount of Puccinia graminis infection on at low temperature, 18; comparative effect of light and darkness on infection of, 13; flag smut of, 330, gas injury of, 266; infection of by Puccinia graminis at high temperatures and practically constant humidity, 23; nematode disease of caused by Tylenchus tritici and its control, 51; nematode galls, 181; nematode, Tylenchus tritici, attacking rye, oats, spelt, and emmer, 283; parasitism of Puccinia on, 59; Puccinia graminis

on, 13, 17; scab as affected by systems of rotation, 45; take-all of, 330–332
WHETZEL, H. H., New Institute of research in phytopathology, 154
White-pine blister rust, investigations of, 54
WILCOX, E. MEAD, HARVEY ELMER VASEY, biographical sketch, 299–300
Wild cucumber, seed transmission of cucurbit mosaic by, 326
Wild lime canker, 118
Wilt of, banana, 339; tomatoes, new, 296
Wind and the distribution of pathogenic soil organisms, 471
Winged bean, orange galls, 133
Woroninella psophocarpi, 133
Wound-cork formation in potato, 483

Xanthosoma sagittifolium, 124, 139

Yam, leaf spot, 124; rust, 124; storage rots, 124
Yautia leaf spot, 139
YORK, H. H., and SPAULDING, PERLEY, The overwintering of Cronartium ribicola on Ribes, 617–619

Zignoella nobilis, 119